

EU-Declaration of Conformity

PPE-Regulation (EU) 2016/425



Manufacturer: UNICO GRABER AG, Stöckackerstrasse 30, 4142 Münchenstein/Switzerland, confirms that the listed personal protective equipment (PPE) complies with the guidelines of the PPE Regulation (EU) 2016/2425; where the harmonised standard EN 166:2001 has been transposed into national law, the national standard is also applicable. The PPE listed below has been tested by independent testing laboratories and assessed and certified by the notified body indicated. The corresponding certificates can be found via the QR code or link below.



COMPLEXVISION

UNIhead **Claro 3000 PF de Luxe** - only creen



Polycarbonat-Visier mit Alu-Rahmen

Variants / Description

9908 0410 00

tint colour: clear - polycarbonate - EN 166

Fields of application	PF de Luxe
Water	■
Methanol	▲
Ethanol	■
Ethyl acetate	
Methylene chloride	
Acetone	▲
Carbon tetrachloride	▲
Trichloroethylene	▲
Tetachloroethylene	▲
Benzene	▲
Xylene	
White spirit	▲
Paraffin oil	▲
Formic acid conc.	
Linseed oil	▲
Turpentine oil	▲
Lavender oil	▲
Ether	▲
Formalin	
2 Chlorophenol	
Acetic acid 99%	■
Sulphuric acid conc.	●
Sulphuric acid 10%	▲
Nitric acid conc.	●
Nitric acid 10%	
Hydrochloric acid conc.	●
Hydrochloric acid 10%	▲
Caustic soda 30%	▲
Citric acid conc.	■

Claro 3000 PF de Luxe - only creen

INFORMATION / IMPORTANT: The information provided serves only as a basis. UNICO Graber AG accepts no liability from third party recommendation on application and sale. All descriptions, data and illustrations in this printed matter are non-binding. We reserve the right to make changes for design or sales reasons.

Compliance with standards: frame

Standard of reference:	Appendix II PPE-regulation (EU) 2016/425 EN 166
Protection level:	Mechanical risks, low energy impact
Use area:	ONLY to use with original UNICOhead product part! Basic use according 3* and F to EN 166 . All lenses are optical class 1 according to EN 166 and suitable for all day use. 2-1.2 xx 1F N CE UG 1 B CE *Danger zones: Dropping or spraying liquids
Notified body:	NB 0196 *
EU type-examination:	C3029UG
Product components:	Instructions and information from the manufacturer are enclosed with the product.

* NB 0196, DIN CERTCO Gesellschaft für Konformitätsbewertung mbH, Alboinstr. 56, 12103 Berlin, Deutschland

IMPORTANT:

If the safety glasses are used improperly, or changed in any sustainable way (e.g. removal of individual parts, such as side protection, etc.), any liability claim towards the manufacturer expires. The corresponding technical data sheets are available at the above address

EU Declaration of Conformity was drawn up according to the EC type-examination certificate



Dominique Graber, CEO
CH-Münchenstein, 17.03.2021



www.unicograber.com



EU-Declaration of Conformity

PPE-Regulation (EU) 2016/425



Manufacturer: UNICO GRABER AG, Stöckackerstrasse 30, 4142 Münchenstein/Switzerland, confirms that the listed personal protective equipment (PPE) complies with the guidelines of the PPE Regulation (EU) 2016/2425; where the harmonised standard EN 166:2001 has been transposed into national law, the national standard is also applicable. The PPE listed below has been tested by independent testing laboratories and assessed and certified by the notified body indicated. The corresponding certificates can be found via the QR code or link below.



COMPLEXVISION

UNIhead **UNIhead Typ II - without screen**



The clear option. Face protection with a large polycarbonate visor where simple goggles or safety spectacles are not sufficient. With two adjustment settings, this product can be adapted to any head size.

Variants / Description

0801 3000 00

UNIhead Typ II without screen

tint colour: black - EN 166

Colour of frame

Available in: **black**

Fields of application	PF de Luxe	HF
Water	■	■
Methanol	▲	▲
Ethanol	■	■
Ethyl acetate		▲
Methylene chloride		▲
Acetone	▲	■
Carbon tetrachloride	▲	■
Trichloroethylene	▲	▲
Tetachloroethylene	▲	▲
Benzene	▲	▲
Xylene		■
White spirit	▲	■
Paraffin oil	▲	▲
Formic acid conc.		●
Linseed oil	▲	▲
Turpentine oil	▲	▲
Lavender oil	▲	▲
Ether	▲	▲
Formalin		▲
2 Chlorophenol		▲
Acetic acid 99%	■	▲
Sulphuric acid conc.	●	●
Sulphuric acid 10%	▲	▲
Nitric acid conc.	●	●
Nitric acid 10%		▲
Hydrochloric acid conc.	●	▲
Hydrochloric acid 10%	▲	▲
Caustic soda 30%	▲	▲
Citric acid conc.	■	■

■ optimal use ▲ possible use ● not recommended

www.unicograber.com

INFORMATION / IMPORTANT: The information provided serves only as a basis. UNICO Graber AG accepts no liability from third party recommendation on application and sale. All descriptions, data and illustrations in this printed matter are non-binding. We reserve the right to make changes for design or sales reasons.

Compliance with standards: frame

Standard of reference:	Appendix II PPE-regulation (EU) 2016/425 EN 166
Protection level:	Mechanical risks, low energy impact
Use area:	ONLY to use with original UNICOhead prodct screen! HF PF Basic use, 3* and F according to EN 166. All lenses are optical class 1 according to EN 166 and suitable for all day use. 2-1.2 xx 1F N CE UG 1 B CE *Danger zones: Dropping or spraying liquids
Notified body:	NB 0196 *
EU type-examination:	C3219UG
Product components:	Instructions and information from the manufacturer are enclosed with the product.

* NB 0196, DIN CERTCO Gesellschaft für Konformitätsbewertung mbH, Alboinstr. 56, 12103 Berlin, Deutschland

IMPORTANT:

If the safety glasses are used improperly, or changed in any sustainable way (e.g. removal of individual parts, such as side protection, etc.), any liability claim towards the manufacturer expires. The corresponding technical data sheets are available at the above address

EU Declaration of Conformity was drawn up
according to the EC type-examination certificate



Dominique Graber, CEO
CH-Münchenstein, 17.03.2021



www.unicograber.com

