

# BLS 800 FLICKIT SERIES

DISPOSABLE FOLDABLE FILTERING FACEPIECES

BLS 800 Flickit disposable filtering facepieces offer a high level of hygiene thanks to the single package on all models and to the possibility to unfold the device without touching the inner mask which is in direct contact with the face. It is one size fits all and it can be carried in the pocket.



## SINGLE PACKED & POCKET SIZE

Allow the filtering facepiece to be pocket sized and able to be distributed with alternative solutions such as vending machines.



## HIGH EFFICIENCY VALVE

Eolo Technology is our fastening system of the ultralight membrane of the exhalation valve which is fixed on three aligned points instead of a single one concentrating the exhaled air into two zones of maximum aperture, 30% wider than before. With these improvements breathing resistance decreases significantly.





# BLS 800 FLICKIT SERIES

## DISPOSABLE FOLDABLE FILTERING FACEPIECES

### MATERIALS

ELASTICS	Thermoplastic elastomer (TPE)
NOSE CLIP	Reinforced Polypropylene (PP) with heat treated metal
VALVE	Polypropylene (PP); Rubber
FILTERING MATERIAL	Polypropylene (PP)

*All components in direct contact with user's face are LATEX FREE*

### TECHNICAL DATA

PRODUCT	CODE	CLASS of PROTECTION	FPN	EXHALATION VALVE	ELASTICS
BLS 828	8006172	FFP2 NR D	12* TLV		Welded
BLS 829	8006173	FFP2 NR D	12* TLV	✓	Welded
BLS 860	8006174	FFP3 R D	50* TLV	✓	Welded

*(NR) Not Reusable, 8 hours max (R) Reusable (TLV) Threshold Limit Value*

*(ACTIVATED CARBONS) Able to block gases&vapours organic and acid with concentrations lower that the TLV (NPF) Nominal Protection Factor*

*(D) The product passed Dolomite test, simulates a heightened level of solid particles*

### TRANSPORT

PRODUCT	CODE	WEIGHT (g)	Q.TY/BOX	Q.TY/CARTON	CARTON WEIGHT (Kg)	Q.TY/PALLET
BLS 828	8006172	15	10	160	4,3	4800
BLS 829	8006173	18	10	160	4,9	4800
BLS 860	8006174	21	10	160	5,3	4800

### STORAGE

SHELF-LIFE	10 years
TEMPERATURE	+5°C/+40°C
RELATIVE HUMIDITY	<60%

# BLS 800 FLICKIT SERIES

DISPOSABLE FOLDABLE FILTERING FACEPIECES

## AVAILABLE MODELS



BLS 828



With valve  
BLS 829 - BLS 860

## CERTIFICATION

BLS filtering facepieces are:

- Certified according to European Regulation 2016/425 (Personal Protective Equipments)
- Certified as PPE of III category, in presumption of conformity to harmonized standard EN 149:2001+A1:2009
- Certified and controlled according to Annex D by Italcert S.r.l. (Notified Body n°0426)
- CE marked

BLS management system is ISO 9001 certified.

## SELECTION GUIDE

### FOLDABLE \_ ALL MODELS

- Prevents the contamination of the inner mask before and after use
- It can be sold in vending machines
- Ideal for intermittent use, no damage if kept in the pockets

### NO VALVE \_ BLS 828

- Also protects the environment from the user
- Ideal in the food industry and all working environments where contamination from the user must be avoided

### SIDE VALVE \_ BLS 829 / BLS 860

- The high efficiency filtering material allows the valve to be placed on the side so that the facepiece can be folded in a pocket size format

## IMPORTANT

BLS declines any responsibility, direct or indirect, from any misuse of both devices and instructions. User is responsible for the determination of product compliance with the intended use.