

Pig Blue® Barrel Top Absorbent Mat

BLU255 Lightweight, For 55 gal. drums with 2 bungs (.75" Dia. and 2" Dia.), 25 pads

Our most absorbent mat, shaped to fit on drum tops to soak up pump drips and keep barrel tops clean.

- Lightweight absorbent construction soaks up your biggest pump and dispensing messes at the best value so changeouts aren't required as often
- Soaks up pump drips from barrel tops without cluttering up your work space with dirty rags!
- Stays on top of your drum top longer because it absorbs so much! Pig Blue is perfect for steady leaks and drips where changeouts aren't possible
- Saves you time and money by soaking up a lot of liquid and staying down longer; it won't fall apart, even when it's soaked and absorbs liquid quickly for faster, easier cleanups
- Fits 55-gallon steel drum tops; pre-cut with holes for 3/4" and 2" bungs to provide a perfect fit
- Wall-mountable dispenser box makes it easy to dispense and store your mat
- Contains 90% recycled fibers; ideal in situations where green products are desired or required
- Fire retardant for added safety; flame-tested in accordance with ASTM Standard E84-08
- Absorbs most common industrial liquids - oils, water, solvents, coolants and more
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents



Specifications

Static-Dissipative	No
Indoor/Outdoor	Indoor Use
Reusable	No
Wringable	Yes
Incinerable	No

Flammability Specifications

Flame Retardant - Will not carry a flame

Fluid Absorbed	Oils, Coolants, Solvents, Water – Universal
Use With	55 gal. drums with 2 bungs (.75" Dia. and 2" Dia.)
Color	Blue
Dimensions	ext. dia. 22"
Mat Weight	Lightweight
Recycled Content	90% Pre-Consumer Recycled Content
Absorbency	Up to 5.9 gal. per box
Absorbency per	Up to 30 oz. per pad
Brand	PIG
Bung Opening	.75" & 2"
Category	Pig Blue® Barrel Top Absorbent Mat
Drum Size	55 gal.
Drum Type	Steel Drum
Sold as	25 pads per box
Weight	6 lbs.
New Pig Patent	8,182,927
# per Pallet	72
Composition	Natural & Recycled Fiber Blend
UNSPSC	47131901
UV Resistant	No
Pigalog® Page Number	Page 17

Metric Equivalent

Absorbency per	Up to 887.1 mL per pad
Absorbency	Up to 22.3 L per box
Dimensions	ext. dia. 55.9cm
Weight	2.7 kg

Technical Information

Certifications, Approvals and Ratings

ASTM Standard E84-08

Technical Documents

- Pig Blue Absorbent Mat
- PIG® Blue® Absorbent Mats
- 29 CFR 1910.22(a)(2)

Disclaimers

Corrosive Liquids Notice

Not recommended for acids, bases or other corrosive liquids.

Safety Instructions Regarding Flammable Liquids for Flame Retardant Mats

Pig Absorbent Mats are flame retardant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.



New Pig

World's best stuff for leaks, drips and spills.

One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com