

1embro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC





## **EU Type Examination Certificate**

Date: 2019/02/18 n. 158190804/TE

Validity: 2024/02/17

This Certificate is a translation of the original issued in Italian

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	GRISPORT SpA calzaturificio 31030 CASTELCUCCO (TV) – Via Erega, 1 – ITALIA
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)
Category of PPE:	II: "medium" risks.  This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.

Model "74653CD26"

design: A (low shoe); Description:

fastening system: by means of laces;

processing: direct injection;

outsole: double-colored anthracite grey/green TPU marked "VIBRAM TPU MADE IN ITALY OIL RESISTANT ANTITORSION ANTISTATIC TOTAL GRIP" (code 018BN/00-016/ 109/00);

midsole: black PU foam (code MPI/001);

upper: black grain leather DAKAR TREKKING declared thickness 2,0-2,2 mm (code DAC/NER) and anthracite grey fabric ICE matched with perforated PE115 (code IPF/810), with heel-reinforcement in a grey polymeric material "ANTITORSION BLOCK-UP" (code BUA/NGV);

tongue/bellows: anthracite grey fabric ICE semplice (code ICE/810);

vamp lining: "grey 99" perforated knitting AT 488 SPECIAL matched with garbofort 2200 (code A8G/GRI);

rear lining: "grey 99" perforated knitting AT 488 SPECIAL (code A8S/GRI);

insole: antistatic multi-layered fabric GRISPORT ZP03/1500 (code LC/ZP03), which also serves as perforation resistant insert;

removable insock: grey perforated foam material matched with black textile in contact with the foot, with an aluminium oval stitched on the lower part of the forepart with an antistatic thread, with a red ABS insert in the heel area (code FTNAROA);

toecap: perforated steel article 604 ESJOT (code 604ACRF).

Technical Standard: EN ISO 20344:2011 Personal protective equipment – Test methods for footwear (UNI EN ISO 20344:2012)

> EN ISO 20345:2011 Personal protective equipment - Safety footwear (UNI EN ISO 20345:2012)

Intended use: general industry, engineering industry, agriculture, warehouses, works on trucks, cranes.

Size range: from 36 to 47

Technical File: DC-10219/E

RCT n°3747032 Test report:



## PRD Nº 0230 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## **EU Type Examination Certificate**

n. 158190804/TE

Validity: 2024/02/17

Functions and performance levels:

Date: 2019/02/18

**basic requirements for safety footwear** (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among which:

**SRC (\*) = Slip resistance** – meets the following requirement:

- <u>surface</u>: ceramic / <u>lubricant</u>: detergent solution;
- surface: steel / <u>lubricant</u>: glycerol.

Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011):

**S3 =** closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil, water penetration resistance and absorption (water-repellent upper), penetration resistance, cleated outsole.

(\*) the final level of the anti-slip features is achieved after the first hours of trial stage.

Note: the penetration resistance of the synthetic stitch proof insole tends to decrease with the diameter of the perforating object; in return the synthetic insole offers more protective surface and ergonomics advantages (flexibility, insulation, humidity and impact absorption).

Marking:

on a stitched label and displaying the following information:

- CE Marking;
- Name/Trademark of the Manufacturer (marked on the lateral external side of the footwear);
- designation of the footwear (alphanumeric code);
- nr. and year of the Standard of reference + safety symbols;
- size of footwear (also printed on the outsole);
- date of production (month + year);
- additional information: internal code.



XXXXXX 74653CD26 **42** 



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).