

QUARTZ UP III



ROTOR ADJUSTMENT SAFETY HELMET

Ref. QUARTZUP3



Product specifications

UV-resistant high density polypropylene (PP) safety helmet. Polyamide cradle: 3 textile bands with 8 fixing points. Foam sweat band. Rotor clamping system: head sizes 53 to 63 cm. 2 possible positions of the headband (high/low) for better comfort. Electrical Insulation up to 1 000 V.A.C. or 1 500 V.D.C.

Polypropylene (PP)

COLOUR

White, Blue, Yellow, Orange, Red, Green

SIZE

Adjustable

Product Use - Risks



Electrical



Shock



Construction / Civil engineering



Light industry

Product's highlights & user's benefits



One-D Rotor ergonomic clamping system

One-handed adjustment with or without gloves



2 positions of the high and low head circumference

Suitable for all body shapes

Certifications and Standards



REGULATION (EU) 2016/425

EN397:2012 + A1:2012 Protective helmets for industry

MM: Molten metal spray

-30°C +50°C: Use : Very low temperature - -30°C / +50°C

440VAC: Electric insulation



EN50365:2002 Electrically insulating helmets for use on low voltage installations

CLASS 0: Electrically insulating helmets - Class 0

References

References	Bar code	COLOUR	SIZE		
QUARUP3BC	3295249174095	White	Adjustable	40	-
QUARUP3BL	3295249174101	Blue	Adjustable	40	-
QUARUP3JA	3295249174118	Yellow	Adjustable	40	-
QUARUP3OR	3295249174132	Orange	Adjustable	40	-
QUARUP3RO	3295249174125	Red	Adjustable	40	-
QUARUP3VE	3295249174149	Green	Adjustable	40	-