

Knuckle coated



>> Type of use (*)

Thanks to its technical characteristics, this glove is particularly suitable for all the main light works requiring good dexterity and protection against mechanical risks, particularly abrasion, in wet and oily environments: automotive assembly, precision engineering, industrial maintenance, repair of mechanical parts, electronic industry, small parts assembly ...

>> Technical data

- ✓ **Construction:** knitted seamless pattern.
- ✓ Knitted wrist. Liner in polyester fibres.
- ✓ **Gauge:** 15.
- ✓ **Coating:** flat nitrile coating on palm and back (knuckle coated version). With **Sanitized®**.
- ✓ **Colour:** black coating, black liner.
- ✓ **Sizes:** 8, 9, 10.
- ✓ **Packing:** - carton of 100 pairs.
- bundle of 10 pairs.



Learn more: www.singer.fr

Light
handling in
wet
environments

>> Main advantages

- ✓ **Seamless construction:** improves user comfort (will avoid rough points and consequently the risks of reddening or irritation of the skin). Improves dexterity for easy handling of small parts and reduces hand fatigue.
- ✓ **Polyester fibres:** the polyester fibres offers high toughness, it provides good resistance against abrasion; it is resistant against mold and fungus. It is low water absorbent.
- ✓ **Elasticated knitted wrist** for a better comfort and a perfect fit of the glove on the hand
- ✓ **Protective coating:** the nitrile flat coating will bring you additional protection specially against oils and fats. Knuckle coated version for a good protection of the hand while maintaining ventilation.
- ✓ **ISO 9001** certification for a regular and good quality of products
- ✓ **Sanitized®** treatment protection against the development of the mould, especially in a humid environment, a protection against microbial attacks, a protection against a discolouration, prevents the bacteria action from bad smell.

>> Conformity

This glove has been tested according to the following European standards :


- **EN 420 : 2003 + A1 : 2009.** Protective gloves - General requirements and test methods.
- **EN 388 : 2016.** Protective gloves against mechanicals risks.

It complies with European **Regulation (EU) 2016/425** on Personal Protective Equipment (PPE). **Category II.**

EU type examination certificate (module B) issued by **SATRA (Ireland)**. Notified body n°2777.

Download the EU declaration of conformity on: <http://docs.singer.fr>



EN 388: 2016. Protective gloves against mechanical risks							
Mechanical data. Information about levels.	Level 1	Level 2	Level 3	Niveau 4	Level 5	Levels ▼	EN 388 : 2016  4 1 2 1 X
Abrasion resistance (number of cycles)	100	500	2000	8000	-	4	
Blade cut resistance (index)	1,2	2,5	5,0	10,0	20,0	1	
Tear resistance (in Newtons)	10	25	50	75	-	2	
Perforation resistance (in Newtons)	20	60	100	150	-	1	
Cut resistance (N) (as per EN ISO13997) (TDM test) «X» means that the glove has not been submitted to the test.	Level A	Level B	Level C	Level D	Level E	Level F	Level
	2	5	10	15	22	30	X

Your distributor **SINGER® SAFETY**

SINGER®
safety