



Agriculture Lubricants

Gulf Oil is dedicated to providing world-class agricultural lubricants to farmers globally. Our goal is to meet the unique needs of various farm equipment, ensuring reliable performance and value. As a leader in the lubricant industry, we embrace innovation and adapt to the dynamic demands of the agricultural sector. Our high-quality solutions cater to the specific requirements of farmers and agricultural equipment manufacturers, enhancing efficiency and reliability while consistently exceeding customer expectations.

Gulf Superfleet Supreme



Our cutting-edge Gulf Superfleet Supreme, featuring Clean-Flow Technology, delivers dependable engine oil solutions tailored to the agricultural industry. This advanced formula promotes cleaner engines by reducing sludge and deposit buildup, while also improving fuel efficiency. Discover the superior performance of Gulf Superfleet Supreme as it contributes to extended engine life and decreased maintenance costs, making it an ideal choice for the diverse demands of the agricultural sector.



Comprehending the distinct needs of businesses of all sizes, we continuously evolve by adopting new technologies and focusing on the requirements of farmers and agricultural equipment manufacturers. Our agricultural machinery lubricants, including tractor gear oil and hydraulic oils, are designed to protect equipment against harsh conditions and ensure optimal performance in any climate. Our offerings of Universal Tractor Transmission Fluids and Super Tractor Oil Universal simplify inventory management and minimize the risk of product misapplication by reducing the need for multiple oils.

Gulf Oil extends its offerings beyond traditional lubricants, providing ancillary products like agricultural equipment grease, chainsaw oils and chain lubricants for forestry applications. We are dedicated to partnering with farmers and original equipment manufacturers, devising innovative solutions to tackle everyday challenges in agricultural farming. Our unwavering commitment to understanding our clients' needs and delivering products that surpass their expectations highlights our dedication to excellence.

Experience the Gulf Oil difference in your agricultural operations and let us be your trusted partner for high-performance lubricants and agricultural greases. We look forward to supporting farmers worldwide in achieving lasting success in their businesses.

ENGINE OILS

Gulf Superfleet Supreme+ 10W-30, 15W-40

Premium performance diesel engine oil for ultra-low emission farm equipment, reducing soot buildup and prolonging exhaust after-treatment device life.

Specifications: 10W-30: ACEA E9, MTU Oil Category 2.1, Cat ECF-3, MB 228.31, Cummins CES 20086, DDC 93K222. MAN M3575; 15W-40: ACEA E9, MB 228.31, MAN M3575, Deutz DQC III-10 LA, MTU Oil Category 2.1, Cat ECF-3, Cummins CES 20086, DDC 93K222, Ford WSS M2C171-F1

Approvals: API CK-4/ CI-4 PLUS, Volvo VDS 4.5, Mack EOS-4.5, Renault RLD-3, MAN M3775

Gulf Superfleet Supreme 10W-40, 15W-40

Extra high-performance diesel engine oil for modern, low-emission agricultural machinery, delivering exceptional protection and extended life.

Specifications: 10W-40: ACEA E7, Cummins CES 20077 / 78, MAN M3275, Global DHD-1, CAT ECF 1-a; 15W-40: ACEA E7, Global DHD-1, MAN M3275, Deutz DQC III-10, CAT ECF 1-a, Cummins CES 20076 / 77 / 7

Approvals: 10W-40: API CI-4, MB 228.3, Volvo VDS-3, Mack EO-N, Renault RLD-2, MTU Oil Category 2; 15W-40: API CI-4, MB 228.3, Volvo VDS-3, Mack EO-N, Renault RLD-2, MTU Oil Category 2

SUPER TRACTOR OIL UNIVERSAL (STOU)

Gulf Super Tractor Oil Universal 10W-30, 10W-40, 15W-40

Multifunctional tractor lubricants for reliable performance in various farm equipment applications.

Specifications: 10W-30: API CF-4, GL-4, JD J27C, MF 1139, 1144, Ford M2C 159B, Allison C-4, ZF TE ML 06B, 07B; 10W-40: API CF-4, GL-4, MF 1145/1144, Allison C-4, ZF TE ML 06B, 07B; 15W-40: API CF-4, GL-4, JD J27C, MF 1145, 1144, Allison C-4, ZF TE ML 06B, 07B

Approvals: 10W-30: Massey Ferguson MF 1145

UNIVERSAL TRACTOR TRANSMISSION FLUID (UTTF)

Gulf UTTF 80W

High-performance fluid for tractor transmissions, hydraulic systems and brakes, optimizing agricultural and commercial tractor performance.

Specifications: API GL-4, Allison C-3, C-4, Ford M2C86-B/C, M2C134D, Massey Ferguson M1135, M1141, M1143, M1145, John Deere J 14 A/B/C, J 20C, J 20D, J 21A, CNH MAT 3505, 3506, 3508, 3509, 3110, 3525, 3526, 3540, Volvo 97303 (WB101), J.I. Case/ Case International MS 1206/1207/1209/1210, Kubota UDT Fluid, Valtra G2-08, G2-B10, Fendt, Deutz-Fahr, Komatsu, Landini, Claas/Renault, SAME, AGCO Powerfluid 821 XL, AGCO Q-186, ZF 03E, 06K, 17E, 21F



TRANSMISSION FLUIDS

Gulf Gear LS 80W-90

High-performance gear lubricant, developed for limited slip differentials in agricultural machinery and farm vehicles.

Specifications: API GL-5, US MIL-PRF-2105E, API MT-1, Mack GO-J

Gulf Gear MP 80W-90, 85W-140

Advanced gear lubricant offering superior protection across various agricultural vehicle transmissions, axles and final drives.

Specifications: API GL-5, US MIL-L-2105D

Gulf HT Fluid TO-4 10W, 30, 50

Powershift transmission fluid for heavy-duty farm equipment, providing wear protection, thermal stability and rust prevention.

Specifications: 10W: Cat TO-4, Allison C-4, Komatsu KES 07.868.1, ZF TE-ML 03, API CF, CF-2; **30:** Cat TO-4, Allison C-4, Komatsu KES 07.868.1, ZF TE-ML 03, API CF, CF-2; **50:** Cat TO-4, Komatsu KES 07.868.1, API CF, CF-2

ANCILLARY FLUIDS

Gulf Antifreeze

British Standard, eco-friendly coolant concentrates for year-round protection, safeguarding engines, cooling systems and seals.

Specifications: BS 6580:1992 and BS 6580: 2010* (*Please refer to product data sheet)

Gulf Antifreeze XLL

Extended Life coolant concentrates with OAT (Organic Acid Technology) for optimal engine protection, high stability, and mixed fleet compatibility.

Specifications: ASTM D3306, ASTM D 4656, AFNOR 15-601, SAE J1034, JASO M325 / JIS K2234, Ford WSS-M97B44-D, Mercedes Benz MB 325.3, General Motors GM 6277M, MAN 324 Type SNF, VW TL 774F

Gulf Brake Fluid DOT4

High-performance poly glycol formula for reliable braking, corrosion protection and compatibility with diverse systems.

Specifications: FMVSS 116 DOT 4

Gulf Coolant 40

British Standard, ready-to-use coolant with MEG, ensuring engine protection, year-round temperature control and eco-friendliness.

Specifications: BS 6580:1992, BS 6580:2010* (*Please refer to product data sheet)

Gulf Coolant XLL

Ready-to-use, extended-life coolant with OAT for enhanced protection, reduced overheating risk, and wide compatibility.

Specifications: ASTM D3306, ASTM D 4656, AFNOR 15-601, SAE J1034, JASO M325/JIS K2234, Ford WSS-M97B44-D, Mercedes Benz MB 325.3, General Motors GM 6277M, MAN 324 Type SNF, VW TL 774F

HYDRAULIC FLUIDS

Gulf Harmony AW 32, 46, 68

High-performance hydraulic oils for mobile and industrial applications, offering excellent wear protection and oxidation resistance.

Specifications: 32: DIN 51524-2, Vickers M 2950-S, 2952-S, I-286-S; 46: DIN 51524-2, Vickers M 2950-S, 2952-S, I-286-S; 68: DIN 51524-2, Vickers M 2950-S, 2952-S, I-286-S

Approvals: 32: Denison HF-0, HF-1, HF-2, Cincinnati P-68; 46: Denison HF-0, HF-1, HF-2, Cincinnati P-70; 68: Denison HF-0, HF-1, HF-2, Cincinnati P-70

Gulf Harmony Bio-Synth 46

Eco-friendly, biodegradable hydraulic oil designed for forestry machinery in extreme conditions and sensitive environments.

Specifications: ISO 15380, O-L-HEES 46, DIN 51524-3, EUROPEAN ECOLABEL

Gulf Harmony HVI 32, 46, 68

High-viscosity hydraulic oils for enhanced performance and protection in demanding agricultural applications.

Specifications: 32: DIN 51524-3, ISO 11158 HV, AFNOR NFE 48-603, Denison HF-0, HF-1, HF-2, Eaton (Vickers) M 2950-S, 2952-S, I286-S,

Bosch Rexroth 07 075, Sauer Danfoss 520L0463, BR 90220; 46: DIN 51524-3, ISO 11158 HV, AFNOR NFE 48-603, Denison HF-0, HF-1, HF-2,

Eaton (Vickers) M 2950-S, 2952-S, I286-S, Bosch Rexroth 07 075, Sauer Danfoss 520L0463, BR 90220, Hitachi; 68: DIN 51524-3, ISO 11158 HV,

AFNOR NFE 48-603, Denison HF-0, HF-1, HF-2, Eaton (Vickers) M 2950-S, 2952-S, I286-S, Bosch Rexroth 07 075, Sauer Danfoss 520L0463, BR 90220

Gulf Harmony XVI 32, 46

Extra high viscosity index hydraulic oils, ideal for forestry machinery in extreme climates like Arctic regions.

Specifications: 32: DIN 51524 Part 3 HVLP, AFNOR NFE 48-603 (HV), ISO 11158 HV, SS 155434, Denison HF-0, HF-1, HF-2, Eaton(Vickers) M-2950-S,

I-286-S, Eaton M-2952-S, Bosch Rexroth 07 075 for vane, piston & gear pumps, BR 90220, FIVES CINCINNATI (Former MAG IAS, LLC) P-68, Sauer Danfoss 520L0463; 46: DIN 51524 Part 3 HVLP, AFNOR NFE 48-603 (HV), ISO 11158 HV, SS 155434, Denison HF-0, HF-1, HF-2,

Eaton(Vickers) M-2950-S, I-286-S, Eaton M-2952-S, Bosch Rexroth 07 075 for vane, piston & gear pumps, BR 90220, FIVES CINCINNATI (Former MAG IAS,

Eaton(vickers) M-2950-S, 1-266-S, Eaton M-2952-S, Bosch Rexroth 07 075 for vane, piston & gear pumps, BR 90220, FIVES CINCINNATI (Former MAG IAS LLC) P-70, Sauer Danfoss 520L0463

GREASES

Gulf Crown EP 00, 0, 1, 2, 3

Multipurpose extreme pressure lithium grease for diverse agricultural equipment applications, ensuring excellent wear protection and stability. Specifications: NLGI 00: DIN 51502 KP0K-30, ISO 6743-9 ISO-L-XCCFB0; NLGI 0: DIN 51502 KP0K-30, ISO 6743-9 ISO-L-XCCFB0; NLGI 1: DIN 51502 KP1K-30, ISO 6743-9 ISO-L-XCCFB1; NLGI 2: DIN 51502 KP2K-30, ISO 6743-9 ISO-L-XCCFB2; NLGI 3: DIN 51502 KP3K-20, ISO 6743-9 ISO-L-XBCFB3

Gulf Crown LC 2

High-performance lithium complex EP grease for versatile use in agricultural and industrial applications, covering a wide temperature range. **Specifications:** DIN 51502 KP2N-30, ISO 6743-9 ISO-L-XCDIB2

CHAINBAR OIL

Gulf Chain Bar Oil

High-quality, adhesive lubricant for chainsaw chains, ensuring smooth operation and reduced wear in varying temperatures. **Specifications:** ISO 6743-1, Category L-AC

CHAINSAW OIL

Gulf Chainsaw Oil

Superior adhesive lubrication for chainsaw chains, preventing breakage and jamming for optimal performance.







Our goal is to support you in getting the most out of your machinery. We go the extra mile to provide the best solutions for powering and lubricating your agricultural equipment.

To find out more, please contact your local Gulf representative.

Scan here to select your make, model and type to find the right oil for your vehicle or machinery.

