



# Commercial Vehicle Lubricants

Europe Product Catalogue

*June 2023*



# Commercial Vehicle Lubricants

Gulf Oil focuses on driving performance with an extensive range of commercial lubricants designed for heavy-duty vehicles, including trucks and buses. Our high-quality products improve vehicle lifespan, reduce downtime and cover engine oils, driveline fluids, greases and coolants.

## Gulf Superfleet Professional



Gulf Superfleet Professional, featuring advanced synthetic technology and Tri-Guard Technology, provides 3-way engine protection, reducing wear, deposits and corrosion. This innovative formula ensures optimal engine and oil performance, contributing to longer drain intervals and minimizing total cost of ownership (TCO) through enhanced operational efficiency.



## Gulf Superfleet Supreme



Gulf Superfleet Supreme, with its innovative Clean-Flow Technology, delivers dependable engine oil solutions for commercial vehicles. This advanced formula ensures cleaner engines, reduces sludge and deposit buildup, enhances fuel efficiency and extends engine life, ultimately contributing to reduced maintenance costs and optimized performance.

Experience the Gulf difference with our innovative and tailored commercial vehicle lubricants, designed to support your fleet's needs and ensure peak performance, mile after mile.

## ENGINE OILS

### Gulf Superfleet Professional ECON 5W-30

Advanced full synthetic oil for heavy-duty diesel engines, enhancing fuel efficiency, prolonging drain intervals and supporting low-emission standards.

**Specifications:** ACEA E6, E7, E9, Scania LDF-4, MAN M3677 / M3477 / M3271-1 / M3775, MB 228.31, MTU Type 3.1, Deutz DQC IV-18 LA, Cat ECF-3, JASO DH-2, Cummins CES 20086, DDC 93K222, Ford WSS M2C213-A1, IVECO 18-1804 TLS E9, DAF Extended Drain

**Approvals:** API CK-4/SN, MB-Approval 228.51 / 228.52, Volvo VDS 4.5, Mack EOS 4.5, Renault RLD-3

### Gulf Superfleet Professional+ Long Drain 10W-40

High-performance synthetic formula for heavy-duty diesel engines, providing longer drain intervals, emissions compliance and lower maintenance expenses.

**Specifications:** ACEA E6, E7, E9, API CK-4, MB 228.51 / 228.52 / 228.31, MAN M3775, MTU Type 3.1, Deutz DQC IV-18 LA, Cat ECF-3, JASO DH-2, Cummins CES 20086, DDC 93K222, IVECO 18-1804 TLS E6, DAF Extended Drain

**Approvals:** Volvo VDS-4.5, Mack EOS-4.5, Renault RLD-3

## Gulf Superfleet Professional Long Drain 10W-40

Synthetic oil for extended drain intervals in low-emission engines, supporting reduced maintenance costs and Total Cost of Ownership.

**Specifications:** ACEA E6, E7, E9, API CI-4, MB 228.51, MAN M3477 / M3271-1, MTU Type 3.1, Deutz DQC IV-18 LA / DQC TTCD, Cat ECF-1a, JASO DH-2, Cummins CES 20076 / 77, IVECO 18-1804 TLS E6, DAF Extended Drain

**Approvals:** Volvo VDS-3, Mack EO-N, Renault RLD-2

---

## Gulf Superfleet Professional 10W-40

Synthetic technology oil for heavy-duty diesel engines, ensuring protection, reduced maintenance costs and compatibility with Euro IV & Euro V engines.

**Specifications:** ACEA E4, E7, Deutz DQC III-10

**Approvals:** API CI-4, Scania LDF-3, MB 228.5, MAN M 3277, Volvo VDS-3, Renault RLD-2, Mack EO-N

---

## Gulf Superfleet Supreme+ 10W-30, 15W-40

Premium performance diesel engine oil for ultra-low emission engines, minimizing soot buildup and extending exhaust after-treatment device life.

**Specifications:** 10W-30: ACEA E9, MTU Oil Category 2.1, Cat ECF-3, MB 228.31, Cummins CES 20086, DDC 93K222, MAN M3575; 15W-40: ACEA E9, MB 228.31, MAN M3575, Deutz DQC III-10 LA, MTU Oil Category 2.1, Cat ECF-3, Cummins CES 20086, DDC 93K222, Ford WSS M2C171-F1

**Approvals:** API CK-4/ CI-4 PLUS, Volvo VDS 4.5, Mack EOS-4.5, Renault RLD-3, MAN M3775

---

## Gulf Superfleet Supreme 10W-40, 15W-40

Extra high-performance diesel engine oil for modern, low-emission engines, providing exceptional protection and extended life.

**Specifications:** 10W-40: ACEA E7, Cummins CES 20077 / 78, MAN M3275, Global DHD-1, CAT ECF 1-a; 15W-40: ACEA E7, Global DHD-1, MAN M3275, Deutz DQC III-10, CAT ECF 1-a, Cummins CES 20076 / 77 / 7

**Approvals:** 10W-40: API CI-4, MB 228.3, Volvo VDS-3, Mack EO-N, Renault RLD-2, MTU Oil Category 2; 15W-40: API CI-4, MB 228.3, Volvo VDS-3, Mack EO-N, Renault RLD-2, MTU Oil Category 2

---

# AUTOMATIC TRANSMISSION FLUIDS

---

## Gulf HT Fluid TO-4 10W, 30, 50

Powershift transmission fluid for off-highway equipment, offering wear protection, thermal stability and rust prevention.

**Specifications:** 10W: Cat TO-4, Allison C-4, Komatsu KES 07.868.1, ZF TE-ML 03, API CF, CF-2; 30: Cat TO-4, Allison C-4, Komatsu KES 07.868.1, ZF TE-ML 03, API CF, CF-2; 50: Cat TO-4, Komatsu KES 07.868.1, API CF, CF-2



# GEAR OILS

---

## Gulf Gear LS 80W-90

High-performance gear lubricant, developed for limited slip differentials in heavy-duty trucks and commercial vehicles.

**Specifications:** API GL-5, US MIL-PRF-2105E, API MT-1, Mack GO-J

---

## Gulf Gear MP 80W-90, 85W-140

Advanced gear lubricant offering superior protection across various commercial vehicle transmissions, axles and final drives.

**Specifications:** API GL-5, US MIL-L-2105D

---

## Gulf Syngear 75W-90

Fully synthetic driveline gear lubricant designed for commercial vehicles and heavy-duty trucks, ensuring exceptional protection and performance.

**Specifications:** API GL-5, MT-1, US MIL-L-PRF-2105E,2105D, SAE J 2360, Mack GO-J, ZF TE-ML 07A, 08, ArvinMeritor 076-N, DAF, Eaton, Iveco

**Approvals:** MB 235.8, MAN 342 Typ S1, MAN 341 Typ Z2, ZF TE-ML 02B, 05A, 12L, 12N, 16F, 17B, 19C, 21A, Scania STO 1:1 G (Gearbox), Scania STO 2:0 A FS

---

## Gulf Syngear FE 75W-80

Synthetic, fuel-efficient gear lubricant for improved fuel economy in commercial vehicles and heavy-duty trucks with manual transmissions.

**Specifications:** API GL-4, Volvo 97307, DAF, Iveco, Renault

**Approvals:** MAN 341 Typ Z4, ZF TE-ML 01L, 02L, 16K

---

## Gulf Gear EP 80W-90

Wide-ranging automotive gear lubricant with API GL-4 quality, ensuring wear protection and resistance to oxidation and corrosion.

**Specifications:** API GL-4, US MIL-L-2105

---

## Gulf Gear TDL 80W-90

Thermally stable driveline gear lubricant for commercial vehicles, providing protection, improved gear shifting and synchronizer safety.

**Specifications:** API GL-4 / GL-5, MT-1, US MIL-L-PRF-2105E, SAE J 2360, MAN 3343 Typ M, ZF TE- ML 07A, 08, 12E, 16C/D, 19B, Mack GO-J, Eaton, Volvo 973100, MB 235.0, Renault, Iveco

**Approvals:** ZF TE- ML 02B, 05A, 12L, 12M, 16B, 17H, 19B, 21A, MAN 342 Typ M2, MAN 341 Typ Z2, Scania STO 1:0 (Axle), Scania STO 1:1 (Gearbox)

---

# ANCILLARY FLUIDS

---

## Gulf Antifreeze

British Standard, eco-friendly coolant concentrates for year-round protection, safeguarding engines, cooling systems and seals.

**Specifications:** BS 6580:1992 and BS 6580: 2010\* (\*Please refer to product data sheet)

---

## Gulf Antifreeze XLL

Extended Life coolant concentrates with OAT (Organic Acid Technology) for optimal engine protection, high stability, and mixed fleet compatibility.

**Specifications:** ASTM D3306, ASTM D 4656, AFNOR 15-601, SAE J1034, JASO M325 / JIS K2234, Ford WSS-M97B44-D, Mercedes Benz MB 325.3, General Motors GM 6277M, MAN 324 Type SNF, VW TL 774F

---

## Gulf Brake Fluid Dot 4

High-performance poly glycol formula for reliable braking, corrosion protection and compatibility with diverse systems.

**Specifications:** FMVSS 116 DOT 4

---

## Gulf Coolant 40

British Standard, ready-to-use coolant with MEG, ensuring engine protection, year-round temperature control and eco-friendliness.

**Specifications:** BS 6580:1992, BS 6580:2010\* (\*Please refer to product data sheet)

---

## Gulf Coolant XLL

Ready-to-use, extended-life coolant with OAT for enhanced protection, reduced overheating risk, and wide compatibility.

**Specifications:** ASTM D3306, ASTM D 4656, AFNOR 15-601, SAE J1034, JASO M325/JIS K2234, Ford WSS-M97B44-D, Mercedes Benz MB 325.3, General Motors GM 6277M, MAN 324 Type SNF, VW TL 774F

# GREASES

---

## Gulf Crown EP 00, 0, 1, 2, 3

Multipurpose extreme pressure lithium grease for diverse automotive applications, offering excellent wear protection and stability.

**Specifications:** **NLGI 00:** DIN 51502 KP00K-30, ISO 6743-9 ISO-L-XCCHB00; **NLGI 0:** DIN 51502 KP0K-30, ISO 6743-9 ISO-L-XCCFB0; **NLGI 1:** DIN 51502 KP1K-30, ISO 6743-9 ISO-L-XCCFB1; **NLGI 2:** DIN 51502 KP2K-30, ISO 6743-9 ISO-L-XCCFB2; **NLGI 3:** DIN 51502 KP3K-20, ISO 6743-9 ISO-L-XBCFB3

---

## Gulf Crown LC 2

High-performance lithium complex EP grease for wide temperature range use in both automotive and industrial applications.

**Specifications:** DIN 51502 KP2N-30, ISO 6743-9 ISO-L-XCDIB2

---

## Gulf Crown MP 2.5

Multipurpose lithium grease for heavily loaded automotive applications, providing wear protection, stability and high load carrying capability.

**Specifications:** DIN 51502 KP2.5K-20, ISO 6743-9 ISO-L-XBCEB2.5

---

## Gulflex EPG 2

High-quality moly grease for industrial and automotive applications, providing wear protection, stability and corrosion resistance.

**Specifications:** DIN 51502 KPF2K-30, ISO 6743-9 ISO-L-XCCIB2





**We understand the demands of your business and have developed our commercial vehicle product range so your fleet can perform at its very best.**

To find out more, please contact your local Gulf representative.



Scan here to select your make, model and type to find the right oil for your vehicle.

